

2017 FSTIP
Rural Non-MPO Areas
Grouped Project Listing for Emergency Repair
SHOPP Emergency Response
as of Amendment #10

CTIPS ID: 230-0000-0029
(Cost x 1,000)

| Dist | County | Route | EA | Description | FY 16/17 | FY 17/18 | FY 18/19 | FY 19/20 | Total | Comments |
|------|--------|-------|-------|--|----------|----------|----------|----------|---------------|--|
| 1 | DN | 101 | 0F280 | Near Crescent City at Last Chance Grade, from Wilson Creek Bridge to 3.8 miles north of Wilson Creek Bridge. Permanent roadway restoration and realignment. PA&ED and R/W funds are requested for geotechnical evaluation of the current seven alternatives and for the environmental clearance needed to perform geotechnical work. | | 5,075 | | | 5,075 | Amend 10 - Long lead approved list 5/18/2017. Program PA&ED and RW in FY 17/18 for goetech evaluation; CON in FY 30/31. Approximate project estimates: PA&ED \$52,600,000, R/W \$89,600,000, Const. \$1,610,000,000. |
| 1 | DN | 101 | 0G210 | Near Crescent City, at 0.2 mile north of Cushing Creek Viaduct. Restore roadway to pre-slide condition. | | | | 18,020 | 18,020 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 36 | 0G920 | Near Bridgeville, from 0.3 mile west of Jaymar Lane to 1.7 miles west of Tirnity County line. Remove slide debris and hazardous trees, stabilize slope, support geotechnical investigations, and repair roadway. | 1,875 | | | | 1,875 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 36 | 0G850 | Near Bridgeville, from 1.3 miles west of McClellan Mountain Rd to 0.3 mile west of McClellan Mountain Rd. Repair slipout, strengthen embankment armament, and repair sinkhole in roadway. | 1,165 | | | | 1,165 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 96 | 0G840 | Near Willow Creek, from 0.3 mile west of Tish Tang Campground to Tish Tang Campground. Remove slide debris and stabilize slope. | 610 | | | | 610 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 1 | HUM | 101 | 0B420 | Near Trinidad at 1.9 miles south of Kane Road; also at 1.3 miles north of Kane Road (PM T113.8). Reconstruct roadway and de-water. | 7,826 | | | | 7,826 | Amend 10 - Modify funding perSHOPP Amend 16H-012 and FP-16-36 |
| 1 | HUM | 101 | 0B421 | Near Trinidad at 1.9 miles south of Kane Road; also at 1.3 miles north of Kane Road (PM T113.8). Environmental mitigation for EA 0B420. | 800 | - | | | 800 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 101 | 0G810 | Near Miranda, from 1.0 mile south of Salmon Creek Rd to 1.5 miles north of Salmon Creek Rd. Remove slide debris, repair slipout, strengthen embankment armament and reapir sinkhole in roadway. | 4,800 | - | | | 4,800 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 101 | 0G820 | Near Weott, from 0.5 mile north of Route 254 to 0.4 mile north of Pesula Rd. Remove debris, repair sinkhole and cracking in asphalt roadway, construct soldier pile retaining wall, and construct debris barrier catchment. | 4,265 | - | | | 4,265 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 101 | 0G830 | Near Redcrest, from 0.8 mile north of Sorensen Rd to 2.3 north of Sorenson Rd. Remove slide debris and hazardous trees, stabilize slope, construct soldier pile retaining walls, repair failed culverts, and support Geotechnical investigations (drilling). | 5,805 | - | | | 5,805 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 101 | 0G860 | Near Benbow, at 0.1 mile north of South Fork Eel River Bridge. Replace failed culvert and repair sinkhole in roadway | 970 | - | | | 970 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 101 | 0G960 | Near Scotia 0.1 mile south of South Scotia Rd. Stabilize failed slope, repair sinkhole adjacent to shoulder, repair roadway crossing culvert, improve drainage system, and repair roadway | 770 | - | | | 770 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 169 | 0G930 | Near Martins Ferry, from 1.7 miles north of Mitchell Rd to Rd to 1.4 miles north of Weitchpec School Rd. Remove slide debris, repair slipout, strengthen embankment armament, repair drainage system, and repair roadway. | 1,290 | - | | | 1,290 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 169 | 0H020 | Near Pecwan, from 0.5 mile south of Pecwan Creek Bridge to Martins Ferry School Creek Bridge. Repair embankment slipout, install slope drainage, replace damage culverts, support geotechnical investigations, and repair roadway. | 890 | - | | | 890 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 254 | 0G980 | Near Holmes, at 1.3 miles north of Holmes Flat Road. Remove slide debris and hazardous trees, stabilize slope, repair drainage, and repair roadway. | 695 | - | | | 695 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 254 | 47531 | Near Garberville, from 1.2 miles north of State Park Road to 0.4 mile north of Bridge Creek. Required mitigation for EA 01-47502 to reconstruct and restore culverts. | 1,813 | - | | | 1,813 | |
| 1 | HUM | 299 | 0G910 | Near Blue Lake, from 0.1 mile to 0.3 mile east of Bair Rd. Remove slide debris, stabilize saturated slope and repair distressed roadway. | 850 | - | | | 850 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | HUM | 299 | 0G950 | Near Willow Creek, from 0.1 mile north of Cedar Creek Rd. Remove slide debris, stabilize slope, install rock slope protection (RSP), and repair roadway. | 2,120 | - | | | 2,120 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | LAK | 20 | 0H040 | Near Upper Lake, from 0.2 miles east of Saratoga Springs Rd to Bruner Drive. Remove slide debris, reconstruct embankment slipout, repair drainage, and repair roadway. | 660 | - | | | 660 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | LAK | 175 | 0G750 | Near Middletown, from 0.2 mile east of Grouse Springs Road to 0.1 mile east of Socrates Mine Road. Remove slide debris, repair drainage systems, reconstruct roadway, and conduct further geotechnical investigations of slope and roadway settlement. | 2,450 | | | | 2,450 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 1 | MEN | 1 | 0G890 | Near Albion, from 0.4 mile south of Navarro Bluff Road to 0.2 mile north of Route 128. Remove debris from bridge pier and repair drainage systems. | 535 | - | | | 535 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | MEN | 1 | 0G450 | Near Westport, from 0.6 mile to 1.4 miles north of Blue Slide Gulch. Repair slide damage and settlement of roadway. | 5,550 | | | | 5,550 | Amend 2 - Add new project per SHOPP Amend 16H-007 |
| 1 | MEN | 1 | 0G730 | Near Leggett, at 1.2 miles south of Route 101. Remove slide debris, stabilize slope, and conduct further geotechnical investigations to develop final scope of repairs. | 3,080 | | | | 3,080 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 1 | MEN | 1 | 0G800 | Near Westport, from 0.3 mile south of Wages Creek Bridge to Soldier Point Sidehill Viaduct. Remove slide debris, repair drainage systems, stabilize slope, reconstruct roadway, and conduct further geotechnical investigations to develop final scope of repairs. | 3,550 | | | | 3,550 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 1 | MEN | 20 | 0G760 | Near Willits, at 0.8 mile east of James Creek Bridge. Remove slide debris and stabilize slope. | 705 | | | | 705 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 1 | MEN | 101 | 0G650 | Near Piercy, from 0.9 mile north of Route 101/271 Separation (Piercy) to 1.3 miles south of South Fork Eel River Bridge. Remove slide debris and stabilize slope. | 1,710 | | | | 1,710 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 1 | MEN | 101 | 0G560 | In Ukiah, at East Perkins Street Overcrossing No. 10-0193. Repair bridge from high load hit, four of six concrete girders have been struck. | 1,195 | | | | 1,195 | Amend 2 - Add new project per SHOPP Amend 16H-009 |

2017 FSTIP
Rural Non-MPO Areas
Grouped Project Listing for Emergency Repair
SHOPP Emergency Response
as of Amendment #10

CTIPS ID: 230-0000-0029
(Cost x 1,000)

| Dist | County | Route | EA | Description | FY 16/17 | FY 17/18 | FY 18/19 | FY 19/20 | Total | Comments |
|------|--------|-------|-------|--|----------|----------|----------|----------|---------------|---|
| 1 | MEN | 101 | 0G590 | Near Willits, at 1.3 miles north of Upp Creek. Remove and replace failed box culvert crossing, reconstruct roadway, and install erosion control measures. | 1,175 | | | | 1,175 | Admin Mod 3 - Add new project per SHOPP Amend 16H-011 |
| 1 | MEN | 101 | 0G790 | Near Willits, at 0.8 mile south of Route 20. Remove slide debris, stabilize and reconstruct slope. | 2,425 | - | | | 2,425 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | MEN | 101 | 0G970 | Near Cummings, at 0.2 mile south of Route 271. Remove slide debris, stabilize slope, dewater saturated soils, repair and improve drainage system and reconstruct slope. | 2,640 | - | | | 2,640 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | MEN | 162 | 0B530 | Near Dos Rios, from 1.4 to 1.7 miles east of Rodeo Creek Bridge. Construct soldier pile walls and drainage galleries. | - | | 13,565 | | 13,565 | |
| 1 | MEN | 162 | 0B550 | Near Dos Rios, at 0.9 mile east of Dos Rios Road. Stabilize roadway. | 8,880 | - | | | 8,880 | |
| 1 | MEN | 162 | 0G900 | Near Laytonville, from Route 101 to 1.0 mile east of Middle Fork Eel River Bridge. Remove slide debris, stabilize slope, repair drainage systems, and repair roadway. | 2,500 | - | | | 2,500 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 1 | MEN | 175 | 0G780 | Near Hopland, at 0.4 mile east of Harrison Street. Reconstruct embankment washout, install rock slope protection (RSP), replace culvert, and repair roadway. | 745 | | | | 745 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 1 | MEN | 253 | 0B560 | Near Boonville, from 0.2 mile west to 0.1 mile east of Singly Cattle Pass. Repair slide. | 6,546 | - | | | 6,546 | Amend 2 - modify funding FP-16-15 |
| 2 | LAS | 395 | 1H490 | Near Doyle, from 0.8 mile north of Red Rock Road to Scott Road. Stabilize scoured embankment and bridge with rock slope protection (RSP) and repair roadway. | 1,950 | - | | | 1,950 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | PLU | 70 | 1H530 | In and near Tobin, from Butte County line to 1.1 miles east of Rogers Flat PG&E Maintenance Street. Embankment stabilization and roadway repair. | 3,910 | - | | | 3,910 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | PLU | 70 | 1H750 | In Two Rivers, at 0.3 mile east of Camp Layman Road to 0.5 mile east of Parkers Road. Replace failed culvert, reconstruct embankment and repair roadway. | 970 | - | | | 970 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | PLU | 70 | 1H760 | Near Tobin, from 0.9 mile east of Rogers Flat PG&E Maintenance Street to 0.4 mile west of Oldmill Drive. Remove multile slide debris including rock blasting and hazardous tree removal, install rock slope protection (RSP) and repair roadway. | 2,020 | - | | | 2,020 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | PLU | 70 | 3H100 | Near Tobin, at various locations from 0.2 mile east of Tobin Underpass to 0.7 mile west of Yellow Creek Bridge. Remove slide debris and clear drainage obstructions. | 1,410 | | | | 1,410 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 2 | PLU | 70 | 3H330 | In Plumas County in various routes at various locations, route 49 (PM 0.0 to PM 7.5), Route 70 (PM 26.0 to 95.7) and Route 89 (PM 0.0 to 8.7); also in Lassen County on Route 70 (PM 0.0 to PM 3.9). Reconstruct multiple embankment slipouts, reconstruct shoulder, re-grade drainage ditches, install rock slope protection (RSP) at bridge abutments, repair drainage systems, and reconstruct roadway. | 3,200 | - | | | 3,200 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | PLU | 89 | 3H090 | Near Greenville, from 0.1 mile north of Indian Falls Road to 0.5 mile north of Indian Falls Road (PM 11.6/11.9); also at 0.3 mile north of Greenville Wolf Creek Road (PM 24.5). Reconstruct slope washout, reconstruct roadway, and repair drainage systems. | 2,050 | | | | 2,050 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 2 | SIS | 96 | 3H260 | Near Somes Bar, at various locations from Humboldt County line to 0.8 mile west of Bar Road. Remove slide debris, repair slipouts, and replace culverts. | 1,920 | | | | 1,920 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | TEH | 32 | 1H800 | Near Butte Meadows at various locations; also in Butte county on Route 32 at various locations; also in Plumas County at various locations. Repair water saturated asphalt pavement with asphalt overlay and digout repairs. | 1,900 | | | | 1,900 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | TRI | 3 | 3H300 | Near Hayfork, at 1.4 miles north of Carr Creek Bridge. Remove slide debris, stabilize slop, and strengthen embankment armament. | 970 | | | | 970 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | TRI | 36 | 1H850 | Near Mad River, at 0.5 mile west of Mad River Bridge (PM R2.2); aslo at 0.5 mile east of Feldmiller Road (PM R4.4 to PM R4.5); also in Shasta County, at 2.4 miles west of Harrison Gulch Road. Remove slide debris, reconstruct scoured embankment and redirect stream channel, replace damaged culverts, excavate slope for bench and material catchment grading and repair roadway. | 2,410 | | | | 2,410 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | TRI | 36 | 3H350 | Near Forest Glen, from 0.3 mile west of Klondike Mine Road to 0.2 mile east of Klondike Mine Road. Reconstruct roadway shoulder slipout, replace failed culverts and drainage inlets, and repair roadway. | 1,350 | | | | 1,350 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 2 | TRI | 299 | 2H740 | Near Del Loma, at Big French Creek Road. Construct a catchment area at the toe of slope | 5,960 | | | | 5,960 | Amend 2 - Add new project per SHOPP Amend 16H-007 |
| 3 | NEV | 49 | 2H730 | Near Nevada City, from 1.1 miles south of South Yuba River Bridge to 0.9 mile south of South Yuba River Bridge. Repair and/or replace multiple failed culverts, install rock slope protection (RSP), install a detention basin, and repair eroded embankments. | 570 | | | | 570 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 3 | NEV | 49 | 2H820 | Near Nevada City, from Newtown Road to Yuba County Line; also in Yuba County, from Nevada County Line to 0.1 mile south of Marysville Road (PM R0.0/3.5). Remove mudslide debris, take out hazardous trees and loose rocks on failed slope, and repair drainage system. | 1,350 | | | | 1,350 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 3 | NEV | 49 | 2H880 | Near Nevada City, at 0.6 mile north of South Yuba River bridge. Reconstruct embankment slipout, replace damaged metal beam guardrail, construct soldier pile retaining wall, and reconstruct roadway. | 2,810 | | | | 2,810 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | NEV | 49 | 2H920 | In Grass Valley, at 0.4 mile north of E. McKnight Way. Repair storm damaged culvert, replace headwall, and repair roadway. | 870 | | | | 870 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | NEV | 49 | 2H960 | Near Nevada City, at 0.8 mile north of South Yuba River bridge. Reconstruct embankment slipout, replace damaged metal beam guardrail, construct soldier pile retaining wall, and reconstruct roadway. | 3,545 | | | | 3,545 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | NEV | 80 | 1H260 | In Truckee, from Polaris Undercrossing to Donner Pass Inspection Facility. Construct water supply line. | 3,983 | - | | | 3,983 | |

2017 FSTIP
Rural Non-MPO Areas
Grouped Project Listing for Emergency Repair
SHOPP Emergency Response
as of Amendment #10

CTIPS ID: 230-0000-0029
(Cost x 1,000)

| Dist | County | Route | EA | Description | FY 16/17 | FY 17/18 | FY 18/19 | FY 19/20 | Total | Comments |
|--------------|--------|-------|-------|---|-------------------|------------------|------------------|------------------|-------------------|---|
| 3 | NEV | 80 | 2H720 | In Truckee, from 0.1 mile west of Donner Lake Road to 0.5 mile west of Donner Lake Road. Remove mudslide debris from roadway, remove loose rocks on failed slope, and reconstruct eroded slope. | 460 | | | | 460 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 3 | NEV | 80 | 2H980 | Near Floriston, from 2.4 miles east of Hirschdale Road to 2.4 miles west of Floriston way. Remove slide debris, stabilize slope, install slope drainage system, and re-grade drainage ditches. | 2,460 | | | | 2,460 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | NEV | 80 | 3H040 | Near Floriston, from 1.3 miles east of Hinton Road to Sierra County line; also in Sierra County from Nevada County line to Nevada State line (PM 0.0/1.6). Remove multiple slide debris, stabilize slope, repair and unclog drainage system, repair roadway shoulder, and re-grade roadside drainage ditches. | 575 | | | | 575 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | NEV | 80 | 3H050 | Near Truckee, from 0.7 mile west of Donner Pass road to 0.1 mile east of Truckee River Bridge. Restore roadway drainage and remove water saturated delamination in roadway, construct rumble strips, and replace joint seals. | 5,800 | | | | 5,800 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | NEV | 89 | 2H650 | In Nevada, Placer and El Dorado Counties on Routes 28, 89, and 267 at various locations. Remove dead or dying trees. | | 4,778 | | | 4,778 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | NEV | 174 | 2H910 | Near Colfax, from 0.3 mile east of Redberry Road to Bertino Road; also in Placer County, from 0.2 mile east of Hill Drive to Rollins Lake Road. Remove slide debris, stabilize slopes, and repair sinkhole in roadway. | 1,620 | | | | 1,620 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | NEV | VAR | 2H660 | In Nevada, Placer and Yuba Counties on Routes 49 and 174 at various locations. Remove dead or dying trees. | | 4,232 | | | 4,232 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | SIE | 49 | 2H560 | Near Camptonville, at 0.6 mile south of North Yuba River Bridge. Reconstruct failed slope and install new drainage system. | 415 | | | | 415 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 3 | SIE | 49 | 2H830 | Near Camptonville, from Oak Valley Road to 0.7 mile west of Ladies Canyon Creek Bridge. Remove slide debris, take out hazardous trees and loose rocks on failed slope, and repair damaged roadway. | 2,200 | | | | 2,200 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 3 | SIE | 49 | 2H710 | Near Downieville, at 1.3 miles north of Pearl Street. Remove rock slide debris and stabilize slope. | 610 | | | | 610 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | SIE | 49 | 2H790 | Near Camptonville, at 0.2 mile south of Lager Beer Sidehill Viaduct. Remove slide debris and replace guardrail. | 1,620 | | | | 1,620 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | SIE | 49 | 2H800 | Near Downieville, at 1.0 miles north of Jim Crow Canyon Creek Road to 0.6 mile south of Loganville Lane. Repair failed culverts, repair eroded slope, and install rock slope protection (RSP). | 611 | | | | 611 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | SIE | 49 | 2H990 | Near Sattley, at 4.0 miles north of Yuba Pass Road. Repair embankment slipout, remove hazardous trees, install soldier pile retaining wall, install drainage facilities, and repair roadway. | 3,720 | | | | 3,720 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | SIE | 49 | 3H030 | Near Oak Valley, from 0.2 mile south of Lager Beer Sidehill Viaduct to Lager Beer Sidehill Viaduct. Remove slide debris, stabilize slope, install guardrailing, and construct three soldier pile retaining walls. | 5,760 | | | | 5,760 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 3 | SIE | VAR | 2H670 | In Sierra County on Routes 49 and 89 at various locations. Remove dead or dying trees. | | 5,109 | | | 5,109 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 9 | MNO | 395 | 36780 | Near Lee Vining, from 0.6 mile north of Visitor Center Drive to 1.2 miles south of Cemetery Road. Restore fire damaged roadside safety elements, construct rockfall containment and slope stabilization | 2,610 | | | | 2,610 | Amend 2 - Add new project per SHOPP Amend 16H-007 |
| 10 | ALP | VAR | 1F640 | In Alpine, Amador, Calaveras, Tuolumne, Mariposa, Merced, San Joaquin, and Stanislaus Counties on Routes 4, 5, 26, 49, 88, 89, 108, 120, 140, and 207. Remove dead or dying drought damaged trees or trim. | | 11,590 | | | 11,590 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 10 | CAL | 26 | 1G900 | Near Mokelumne Hill, at four spot locations (PM 22.0, 22.2, 22.5, and 22.8). Repair storm damaged slope, install culvert and headwall with rock slope protection (RSP), install overside drains and asphalt dikes, and install erosion control measures. | 1,530 | | | | 1,530 | Admin Mod 3 - Add new project per SHOPP Amend 16H-011 |
| 10 | CAL | 26 | 1H240 | Near West Point, at 0.7 mile west of Iris Way; aslo in Amador County at 1.47 miles west of Iris Way (PM 0.2). Remove rock slide debris and hazardous trees, stabilize slope, reconstruct embankment slipout, install rock slope protection (RSP), repair drainage system, and repair roadway. | 7,000 | | | | 7,000 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 10 | CAL | 26 | 1H180 | Near Mokelumne Hill, at 0.9 mile east of Paloma Road. Repair slope slipout, remove tall tree, install rock slope protection (RSP) and new culvert, and reconstruct roadway. | 1,020 | | | | 1,020 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| 10 | MPA | 41 | 0W130 | Near Fish Camp, from 0.6 mile north of White Chief Mountain Road to 0.8 mile north of White Chief Mountain Road. Repair slipout, stabilize slope, and repair roadway. | 1,450 | | | | 1,450 | Amend 10 - Add new project per SHOPP Amend 16H-012. |
| 10 | TUO | 120 | 1H140 | Near Buck Meadows, at 0.4 mile west of South Fork Tuolumne River Bridge. Reconstruct embankment slipout, repair failed slope, abandon damaged drainage culvert, and install new drainage culvert. | 1,220 | | | | 1,220 | Amend 6 - Add new project SHOPP Amend 16H-011 |
| Total | | | | | \$ 164,719 | \$ 30,784 | \$ 13,565 | \$ 18,020 | \$ 227,088 | |

FY 20/21 shown for information only